

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
14 July 2005 (14.07.2005)

PCT

(10) International Publication Number
WO 2005/064832 A1

(51) International Patent Classification⁷: **H04J 11/00**

(21) International Application Number:
PCT/EP2003/014987

(22) International Filing Date:
30 December 2003 (30.12.2003)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant (for all designated States except US): **TELEFONAKTIEBOLAGET LM ERICSSON (publ)**
[SE/SE]; S-164 83 Stockholm (SE).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **BROUWER, Frank, Bastiaan** [NL/NL]; Ruwenbos 34, NL-7543 GA Enschede (NL).

(74) Agents: **DOHMEN, Johannes, M., G.** et al.; Algemeen Octrooi- en Merkenbureau, P.O. Box 645, NL-5600 AP Eindhoven (NL).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (*regional*): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— * with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD AND SYSTEM FOR ALLOCATION OF CHANNELISATION CODES IN A CODE DIVISION MULTIPLE ACCESS SYSTEM



(57) Abstract: Downlink channels within an implementation of a Code Division Multiple Access (CDMA) system, e.g. a Wideband CDMA system, are allocated to channelisation codes in a primary or secondary code tree, each tree having its own scrambling code. During Compressed Mode (CPM), channels which need reallocation during CPM are reallocated to one of the alternative code trees related to the primary or secondary code trees, depending on their original channelisation code in the primary or secondary code tree. According to the invention a method and a system are presented where a channel, which needs to be allocated a channelisation code, is determined on its type of CPM method to be deployed, where a channelisation code is selected according to a code-allocation strategy where there is a channelisation code selected from a list with candidate channelisation with distinction between channelisation codes for channels which do need reallocation during CPM and channelisation codes for channels that do not need reallocation during CPM.

WO 2005/064832 A1